APPENDIX A ADEM UST CLOSURE SITE ASSESSMENT REPORT

JAMES W. WARR

DIRECTOR

ADEM



ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

POST OFFICE BOX 301483 • 1400 COLISEUM BLVD. 38110-2059 MONTGOMERY, ALABAMA 36130-1463

www.adem.state.al.us (334) 271-7700

DON SIEGELMAN GOVERNOR

Faceirniles: (834)

Administration: 271-7950 General Counset: 394-4332 Air: 279-3044

Land: 279-3050 Water: 279-3051 Groundwater: 270-5631 Field Operations: 272-8131

Laboratory: 277-6718 Mining: 394-4326 Furnitural/Dubasch: 204-4328

March 7, 2001

Mr. Nolan Lee Jaye
U. S. Army Garrison
Building 215, 15th Street
Ft. McClellan, Alabama 36205-5000

Dear Mr. Jaye:

RE: NO FURTHER ACTION

Building 2278, Boiler House #2

Ft. McClellan, Calhoun County, Alabama Facility I.D. NO: 11953-015-015821

The Department has reviewed the Closure Site Assessment Report, dated September 13, 2000 for the above-referenced site. As a result of this review, it has been determined that no further investigative or corrective actions as required under ADEM Admin. Code R. 335-6-15.26-.29 will be required for this site at this time.

Please use a complete reference line in all future correspondence, including Facility Identification Number, name, address, and Incident Number (UST---), where applicable. Sites that are not registered will not have an Identification Number and should be labeled (NOT REGISTERED). Because our filing system is dependent on the use of the Facility Identification Number, we may have to return correspondence and reports that do not provide this information.

If there are any questions, please contact me at 334/271-7792.

Sincerely.

John W. Pierce, Hydrogeologist UST Corrective Action Section

Groundwater Branch


Water Division

JWP/nm



628 Valley Street Birmingham, Alabama 35226

Telephone (205) 979-4320



UST CLOSURE SITE ASSESSMENT

SUBJECT SITE: **U S ARMY GARRISON-BUILDING 2278 BOILER HOUSE NO#2** FT. McCLELLAN, ALABAMA 36205

> DATED: **SEPTEMBER 13, 2000**

(Use a Separate form for a group of tanks in each tank pit)

	•					
FACILITY I.D. NO.:	1953-015-015		ATE OF THIS REPORT:	SEPT 13.	3000	
,		1021	,	<u> </u>		
INCIDENT NO. (If applicable).	UST <u>NIA</u>		JST OWNER:	NE DOM	CORRIGAN	
• • • • • • • • • • • • • • • • • • • •	CALHOUN		ADDRESS:	U.S. ARMY 3LDG 215	ISTH ST)
FACILITY NAME: LOCATION:	US ARMY BUILDING ZZT		TACT NAME:	FT MCCLGUU 3620 MR. NOLAN	55-500D	
ADDRESS:	ROILER HOUSE #	2	•		B-3120	,
•	FT. MCCLEURN	, AL				
NAME OF CONTRACT	OR USED TO CLOSE (F	REMOVE) TAN	K: ALLEN	EXCAUATIO	165 CO	
NAME OF CONSULTA	NT CONDUCTING ASS	ESSMENT:		ENUIRONM		
NAME OF LABORATO	RY USED:		KAAST		·	
STORAGE TANKS" A	MOVAL AND DISPOSA ND API BULLETIN 20 BULLETINS ARE AVA CLOSED:	15 "CLEANING AILABLE FRO	G PETROLEU M THE AMER	M STORAGE	DLEUM	<u>ک</u>
NUMBER OF TANKS F	EMAINING AT SITE:		KNOWN			
CLOSURE DATE:			ST 29-30	000s, c		
UNIQUE TANK #:						7
TANK SIZE:	12' x 30'	12'x30'				1
TANK CAPACITY:	25,000	25,000				7
TANK AGE:	16 4AS	16 4RS				7
DATE TANK LAST US		8100				7
SUBSTANCE STORED:		#60185EL				
TYPE OF PRODUCT PI		S				
(Pressurized Suction)						
FARM TANK: NOIA]
HEATING OIL TANK:						_
	(BOILER T	auks)				

ADEM FORM 1133 09/21/97

1. COMPLETE THE FOLLOWING SECTION FOR ALL CLOSURES:

a. Provide the results of a 500 ft. survey for domestic water supply wells in the following table and place their locations on the attached site map: NONE OBSENED - NONE REPORTED

Name of Owner of Domestic Water Supply Well	Distance from UST Site	Depth of Well	Status: Active or Inactive?
NA			

b. Provide the results of a 1,000 ft. survey for public water supply wells in the following table and place their locations on the attached site map: NONE USED

Name of Owner of Public Water Supply Well	Distance from UST Site	Depth of Well	Status: Active or Inactive?
N/A			

c. Is the UST site located in a delineated wellhead protection or source w	ater area?	
5011100 1 01-	YES	NO

(COLDUSTUR SPRINGS)

d. Are there any public water supply surface water intakes within 500 ft. of the UST site?

YES NO □

If yes, locate the intake on the attached site map.

NIA

NOTE: If an active domestic water supply well or an active public water supply well is located within 500 ft. or 1,000 ft. respectively of the UST site, or if the answer to 1c. or 1d. is Yes, the Department may require groundwater sampling to occur at the UST site. If the groundwater sampling is not performed by the owner/operator during the closure site assessment, the Department may require that groundwater sampling occur as part of a Preliminary Investigation.

Groundwater sampling remains a requirement of the closure site assessment when shallow groundwater is present or when performing an in-place closure site assessment.

e. Indicate the current on-site land use and the most likely future land use:

Current O	n-Site Land Use	Most Likely Futur	re On-Site Land Use
Residential		Residential	
Commercial		Commercial	
Other		Other	\square
Describe: MIUIT	ARY BOILER HOUSE	Describe: SAME A	IS CURRENT USE -
OPGRATION	3	CURRINTLY BEING	DISMANTLED

SEE	ial, commercial, mixed residential/commercial or other: မယ	N		eral, is
		reacty: 10	WICE TARK	, KESWUA
	PAGE NOHIG)	· · · · · · · · · · · · · · · · · · ·		
North:	WOODED HILLSIDE; OTHER MILITARY B	SULLOINGS		
	Northeast:			
	Northwest:			
outh:	GTH AUGNUE; BLOG 2203 (RESAMSE C	TR): PARK	inc; eor	F ,
	Southeast:	•	<u> </u>	URSE
	Southwest:			
est:	BARRACKS			
ast:	UNCATED CHEMICAL COLPS MUSEUM: PARKI	NG LOT;	GOLF COS	ese_
CLOSU	LETE THE FOLLOWING SECTIONS AS APPROPRIATIONS OF A PERFORMANT OF THE CONDUCTED: NK CLOSURE BY REMOVAL:	E BASED ON T	не түре о	F
. IA				
	FIGNORI			_
a	Attach (a topographic map showing the location of the facility	and a general site	map showir	ng the
	area surrounding the UST site. PAGE NOW 160			
L	Association of continue of the	4h a falla		
b.	Attach plan and sectional views of the excavation and include	me tonowing:		
_	All appropriate excavation dimensions. PAGE NO			
1. 2.			entification	File rion
3.			entification.	1.0000
4			.m.h.au	•
4.	. I other rocation of tank(s), including deput, with tank	r racinitication IA	midei.	
			YES	NO
c. }	Is the groundwater more than 5 feet below the bottom of the ex	cavation?		
	F. Communication of the Commun		, لط	Ч.
I	f no, provide the depth from the ground surface to the groundw	vater table.	Feet:	NA
	idicate method used to determine water table depth:	_	YES	NO
1.		MOWATER.		
2.	(3)			$\overline{\mathbf{X}}$
3.	Topographic features (Method must be approved by ADEN	M prior to use):		NZ
٥.			ليا	. 12
٥.				_
			YES	NO
	Was there a notable odor found in the excavation?		YES	_
d.	Was there a notable odor found in the excavation?		YES	NO
d. If	Was there a notable odor found in the excavation? yes,			NO
d. If	Was there a notable odor found in the excavation? yes, 1) The odor strength was (mild) (strong) (other) describe:	PID RUDOIN		NO
d. If	Was there a notable odor found in the excavation? yes, The odor strength was (mild) (strong) (other) describe:)68 (H	ои З:
d. If	Was there a notable odor found in the excavation? yes, The odor strength was (mild) (strong) (other) describe: NOW - DETECTABLE The odor indicates what type of product: (gasoline)(diesel)	PID READIN)68 (H	ои З:
d. If	Was there a notable odor found in the excavation? yes, The odor strength was (mild) (strong) (other) describe:	ALL LESS	100 (HI	00 Р8СЛ С С С С С С С С С С С С С С С С С С С
d. If	Was there a notable odor found in the excavation? yes, The odor strength was (mild) (strong) (other) describe: NOW - DETECTABLE The odor indicates what type of product: (gasoline)(diesel)		100 (HI	00 Р8СЛ С С С С С С С С С С С С С С С С С С С
d. If (1	Yes, 1) The odor strength was (mild) (strong) (other) describe: NON-DETECTABLE 2) The odor indicates what type of product: (gasoline)(diesel) (waste oil) (kerosene) (other) describe:	ALL LESS	100 (HI	00 Р8СЛ С С С С С С С С С С С С С С С С С С С
d. If (1	Was there a notable odor found in the excavation? yes, The odor strength was (mild) (strong) (other) describe: NOW - DETECTABLE The odor indicates what type of product: (gasoline)(diesel)	ALL LESS	JES (HI THAN I.C LEUM OD YES	00 IMART
d. If (1) (2)	Yes, 1) The odor strength was (mild) (strong) (other) describe: NON-DETECTABLE 2) The odor indicates what type of product: (gasoline)(diesel) (waste oil) (kerosene) (other) describe:	ALL LESS	168 (HI 168 1.0 1400 1.0 1400 0	00 1maxc
d. If (1) (2)	Yes, 1) The odor strength was (mild) (strong) (other) describe: NON-DETECTABLE 2) The odor indicates what type of product: (gasoline)(diesel) (waste oil) (kerosene) (other) describe:	ALL LESS	JES (HI THAN I.C LEUM OD YES	00 1maxc
d. If (1) (2)	Was there a notable odor found in the excavation? Yes, 1) The odor strength was (mild) (strong) (other) describe: NON-DETECTABLE 2) The odor indicates what type of product: (gasoline)(diesel) (waste oil) (kerosenel (other) describe: Was there water in the excavation?	ALL LESS	THAN I.E LEUM ED YES	NO NO NO NO NO
d. If (1) (2)	Was there a notable odor found in the excavation? yes, 1) The odor strength was (mild) (strong) (other) describe: NON-DETECTABLE 2) The odor indicates what type of product: (gasoline)(diesel) (waste oil) (kerosene) (other) describe: Was there water in the excavation? yes, how was it handled?	ALL LESS	THAN I.E LEUM ED YES	NO NO NO NO NO
d. If (1) (2) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	Was there a notable odor found in the excavation? yes, 1) The odor strength was (mild) (strong) (other) describe: \(\text{NON-DETECTABLE} \) 2) The odor indicates what type of product: (gasoline)(diesel) (waste oil) (kerosene) (other) describe: Was there water in the excavation? yes, how was it handled? One time discharge to sanitary sewer with local approval? Hauled to facility capable of treating constituents of petroleters.	AUL USS TO PETRO	THAN LEWM OD YES YES YES	NO NO NO NO NO
d. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Was there a notable odor found in the excavation? Yes, 1) The odor strength was (mild) (strong) (other) describe: NON-DETECTABLE 2) The odor indicates what type of product: (gasoline)(diesel) (waste oil) (kerosenel (other) describe: Was there water in the excavation? Yes, how was it handled? One time discharge to sanitary sewer with local approval? Hauled to facility capable of treating constituents of petrolet water? BAMA WASTE OLL SECULES (PLONE)	AUL USS TO PETRO	THAN LEWM OD YES YES YES	NO NO NO NO NO
d. If (1) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	Was there a notable odor found in the excavation? Yes, 1) The odor strength was (mild) (strong) (other) describe: NON-DETECTABLE 2) The odor indicates what type of product: (gasoline)(diesel) (waste oil) (kerosenel (other) describe: Was there water in the excavation? Yes, how was it handled? One time discharge to sanitary sewer with local approval? Hauled to facility capable of treating constituents of petroler water? HAULE OLL SELVICES PROPERTY OF THE OLD SELVICES P	AUL USS TO PETRO	THAN LEWM OD YES YES YES	NO NO NO NO NO

in .	f. Was free product found in the excavation?		YES	NO M
	1. Was nee product found in the excavation?		ليا	\boxtimes
	If yes,	NA		•
	 How was free product handled? Describe: What was the measured thickness of free product? 	NA		
	•	, , , , , , , , , , , , , , , , , , ,	·	
			YES	NO
	g. Were visible holes noted in the tank(s)?			\boxtimes
	If yes, Indicate which tanks(s) by the Unique Tank Number:	NA		
	Also, describe the location(s) and provide general description as to above noted tanks, (Example: 3 square feet of pinholes or 3 inch did	ameter hole):		
	DOUBLE-WALL FIBERGLASS TANKS (1984);		12 12 19	19170
	INCLUDE OURREILL & LEAK DETECTION REQUIRED	76075		
	h. Describe the soil type and thickness of all soil layers encountered	in the excavati	on:	
	3 FT UPRIOUS FILLS (CLOY & GRANDLAR); YELL			M FINE
	GRANCLLY CLAY WITH TAKE-LIKE CLAY TEXTURE		INTERUA	LS WITH
	DARK ORGANIC FLECKS AND CONCRETIONS (TO 18	FT)		
			VEC	270
	i. Was the excavation backfilled?		YES 🔀	ои П
	If yes, provide the date of backfilling:	30-31,	5 <i>0</i> 00	· · · · · · · · · · · · · · · · · · ·
	DO NOT BACKFILL WITH MATERIAL THAT HAS OR POT OF GREATER THAN 100 PPM!	FENTIALLY	Y HAS A TI	PH.
1	3. TANK CLOSURE WITHOUT REMOVAL(CLOSED I	N-PLACE)	:	
1 20	a. Attach a topographic map showing the location of the facility and area surrounding the UST site.	l a general site	map showing	the
	b. Attach plan and sectional views of the site and include the following	ng:		
CroseD	1. Location of the tank(s) including depth,			
BU			,	
- 1	3. Soil boring locations and depths at which soil samples we4. Boring logs.	ere taken,		
By REMOUAL				
KENDUAL	c. Attach groundwater sampling data, if required based on depth to g			
-4	Refer to Closure Site Assessment Guidance for further details rego	ıraıng requirei	ments jor	
\ /	groundwater sampling.			

1	d. Is the groundwater more than 5 feet below the bottom of the tank?	YES	NO
	Provide the depth from the ground surface to the groundwater table.	Feet:	
NIA CLOSED By	Refer to Closure Site Assessment Guidance (page 11) for further details regarding requirements for determining groundwater elevation. e. Was there a notable odor found in the bore holes? If yes, (1) The odor strength was (mild) (strong) (other) describe:	YES	ио 🗆
REMOUAL 1	(2) The odor indicates what type of product: (gasoline) (diesel) (waste oil) (kerosene) (other) describe:		
7	f. Was free product found in the bore holes?	YES	ОИ
	If yes, 1. How was free product handled? Describe: 2. What was the measured thickness of free product?		· · · · · · · · · · · · · · · · · · ·
	g. Describe the soil type and thickness of all soil layers encountered in the bore hole boring logs:	s and provide	
	h. Specify the inert solid material used to fill the tank(s):		
	i. Provide the date the tank(s) were filled:		
	j. Were the bore holes properly sealed with bentonite/soil? If yes, provide the date:	YES	ои
4.	PRODUCT PIPING CLOSURE BY REMOVAL: a. Attach a topographic map showing the location of the facility and a general site rarea surrounding the UST site. b. If the piping was longer than 10 feet, attach plan and sectional views of the piping include the following: 1. All appropriate excavation dimensions and length of piping, USINGTHA 2. All soil sample locations and depths using an appropriate method of identification.	g trench and	

c.	Was the piping purged of product prior to closure? If yes, was the product properly disposed of?		YES	NO
d.	. Is the groundwater more than 5 feet below the bottom of	of the piping trench?	YES	ОИ
	If no, provide the depth from the ground surface to the g	groundwater table.	Feet:	NA
	Indicate method used to determine water table depth: 1. Excavation extended 5 feet below base of trench: No. 2. Boring or monitoring well: 70 is 3. Topographic features (Method must be approved by	& FEET	YES	NO X
e.	Was there a notable odor found in the piping trench?		YES	иO [X]
	If yes, (1) The odor strength was (mild) (strong) (other) describe: NON - DETECT ABLE (2) The odor indicates what type of product:	PIO READINGS THAN 1.0 PPM	(HNO)	AU LESS
	(gasoline) (diesel) (waste oil) (kerosene) (other) describe:	NO PETRO LEUM O	oor imp	PARTEO_
f.	Was there water in the piping trench?		YES	NO
	If yes, how was it handled? 1. One time discharge to sanitary sewer with local app 2. Hauled to facility capable of treating constituents of water?		YES	ои
	 Hauled to local POTW with local approval? Treated on-site with NPDES approved discharge? Other? Explain: 			
g.	Was free product found in the piping trench?		YES	NO
	If yes, 1. How was free product handled? Describe:	Nla		
	2. What was the measured thickness of free product?	AK		
h.	Were visible holes noted in the piping?		YES	ио М
	If yes, indicate the location(s) and provide a general desc BLE - WALL FIBGRGIASS PRODUCT LINES	<i>Ē</i> .	LINES	

	i. Describe the soil type and thickness of all soil layers encountered in the piping trensection uses (FIGULE NOH 3); ALSO, PAGE NOH.		i 2.b
_	OF THIS RIDORT		<u> </u>
_		YES	NO
	j. Was the piping trench backfilled?	X	
	If yes, provide the date of backfilling: AUGUST 29-30	2000	
-	OO NOT BACKFILL WITH MATERIAL THAT HAS OR POTENTIALLY OF GREATER THAN 100 PPM!	HAS A TPH	
۱ :	S. PRODUCT PIPING CLOSURE WITHOUT REMOVAL (CLOSED IN-PI	LACE):	
NA	a. Attach a topographic map showing the location of the facility and a general site rarea surrounding the UST site.	nap showing th	e
CroseD	b. Attach plan and sectional views of the site and include the following:		
By REMOUAL	 Location of the piping including depth, Location of piping with respect to tank(s), if applicable. Soil boring locations and depth at which soil samples were taken, Boring logs. 		
7	c. Attach groundwater sampling data, if required based on depth to groundwater. Refer to Closure Site Assessment Guidance for further details regarding requirem groundwater sampling.	ents for	
	d. Was the piping purged of product prior to closure? If yes, was product properly disposed of?	YES	ои
	e. Was the piping capped?	YES	NO
	f. Is the groundwater more than 5 feet below the bottom of the excavation?	YES	ОИ
, .	Provide the depth from the ground surface to the groundwater table.	Feet:	
	Refer to Closure Site Assessment Guidance (page 11) for further details regarding requirements for determining groundwater elevation.		
	g. Was there a notable odor found in the bore holes?	YES	МО
	If yes, (1) The odor strength was (mild) (strong) (other) describe:		
	(2) The odor indicates what type of product: (gasoline) (diesel) (waste oil) (kerosene) (other) describe:		

h. Was free product found in the bore holes?	YES	ои П
If yes, 1. How was free product handled? Describe:		
NA 2. What was the measured thickness of free product?		
CLOSED		
By i. Describe the soil type and thickness of all soil layers encountered in the boboring logs: REMOUAL	_	
j. Were the bore holes properly sealed with bentonite/soil? If yes, provide the date:	YES	МО
6. GROUNDWATER SAMPLING (If required by attached clos	<u> </u>	
a. Indicate the following on the plan and section views required by Section 2 above:	b., 3.b, 4.b, or 5.b.	
1. The location and depth of the 1 up-gradient and 3 down-gradient boring (Monitoring wells in lieu of borings are not required, but may be desired.)		s.)
2. The most probable direction of groundwater flow. State basis for deter	_	
b. Was a monitoring well used?	YES	МО
If yes, attach a schematic drawing of the well(s) and all boring logs.		

c. SUMMARY OF GROUNDWATER SAMPLING RESULTS:

Date of Sampling: NOT REQUIRED


Boring or MW #:							
	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Benzene							
Ethylbenzene							
Toluene							
Xylenes							
MTBE							
Anthracene							
Benzo(a)anthracene							
Benzo(a)pyrene							
Benzo(b) fluoranthene							
Benzo(k)fluoranthene							
Benzo(g,h,i)perylene							
Chrysene					<u> </u>		
Fluoranthene							
Fluorene							
Naphthalene							
Phenanthrene				<u>i</u>			
Pyrene							
Lead			-				1

Note: Attach additional tables as needed based on number of groundwater samples or variations in sampling dates.

\(\sum_{\subset} \subseteq \)

d. Attach the original chain of custody record (copies are not acceptable) and the original laboratory data sheet (copies are not acceptable) for each sample.

GENGRALIZED PIPING TRENCH X-SECTION:



4" - DOUBLE, WALL FIBRELASS

SEND - RETURN LINES IN COMMON TRENCH

ADEM FORM 1133 09/21/97

7. SUMMARY OF SOIL ANALYTICAL DATA

a. Provide the analytical data obtained from the site in the following tables:

TANK PIT SAMPLES:

Date of Sampling: 8-29 30-00

Sample #:	2218	यगर	2278	2278	2278	2276	2278
	ωı	W2_	WB	1 WY	ωs	Wb	37
	mg/kg						
TPH OPTION:							•
TPH (YES)	<10	<10	<10	<10	<10	<10	<10
Lead							
COC OPTION:				V.			
Benzene							
Ethylbenzene					-		
Toluene							
Xylenes							
MTBE	•						
Anthracene			·				
Benzo(a)anthracene							
Benzo(a)pyrene							
Benzo(b) fluoranthene			•				
Benzo(k)fluoranthene							
Benzo(g,h,i)perylene							
Chrysene						·	
Fluoranthene							
Fluorene							,
Naphthalene							
Phenanthrene							
Pyrene							
Lead							

Note: Attach additional tables as needed based on number of soil samples or variations in sampling dates.

"W" INDICATES SOIL TEST FROM LOWER 1/3 OF UST EXCAUATION;

"B" INDICATES DOIL TEST FROM BOSE OF PIT.

7. SUMMARY OF SOIL ANALYTICAL DATA

a. Provide the analytical data obtained from the site in the following tables:

TANK PIT SAMPLES:

Date of Sampling: 8-29 30-00

Sample #:	2278	8522	2278				
	W8	61	82				
	mg/kg						
TPH OPTION:							
TPH (YES)	<10	<10	<10				
Lead							
COC OPTION:							
Benzene							
Ethylbenzene							
Toluene							
Xylenes							
MTBE							
Anthracene							
Benzo(a)anthracene							
Benzo(a)pyrene							
Benzo(b) fluoranthene			•				
Benzo(k)fluoranthene							
Benzo(g,h,i)perylene							
Chrysene							
Fluoranthene							
Fluorene							·
Naphthalene			_				
Phenanthrene							
Pyrene							
Lead							

Note: Attach additional tables as needed based on number of soil samples or variations in sampling

"W" INDICATES SOIL TEST FROM LOWER 1/3 OF UST EXCAUATION;

"B" INDICATES DOIL TEST FROM BASE OF PIT.

PIPING & DISPENSER SAMPLES:

Date of Sampling: 8-30-00

Sample #:	2278-	2278-	2218-	2278-			
	PII	PI2	PI3	PI4			
	mg/kg						
TPH OPTION:							
TPH (YES)	<10	<10	<10	<10			
Lead							
							•
COC OPTION:							
Benzene							
Ethylbenzene							•
Toluene							
Xylenes							
MTBE			-				
Anthracene							
Benzo(a)anthracene							
Benzo(a)pyrene							
Benzo(b) fluoranthene				•			
Benzo(k)fluoranthene							
Benzo(g,h,i)perylene							
Chrysene							•
Fluoranthene							
Fluorene							
Naphthalene							
Phenanthrene							
Pyrene							
Lead							

Note: Attach additional tables as needed based on number of soil samples or variations in sampling dates.

b. Attach the original chain of custody record (copies are not acceptable) and the original laboratory data sheet (copies are not acceptable) for each sample.

8. EXCAVATED SOIL

ALL EXCAVATED SOIL REQUIRES ANALYSIS PRIOR TO DISPOSAL. TANK CLOSURE SAMPLES FROM THE EXCAVATION MAY NOT BE REPRESENTATIVE OF THE LEVEL OF CONTAMINATION IN THE EXCAVATED SOIL.

For safety and other considerations, it is recommended that open pits and piping trenches should be backfilled as soon as possible with clean backfill. Soils which have TPH levels greater than 100 ppm or soils for which the level of contamination has not been determined shall not be returned to the excavation pit(s) or piping trenches.

a. If tank was closed by removal, provide an estimate of the volume of soil removed: (SEC POCE NO# 16)	212	cubic yds
b. Provide a summary of analytical results for the excavated soil:		

Date of Sampling: 8-30-00

Sample#	TPH Results	Lead Results (If applicable)
	mg/kg	mg/kg
7778-51	<10	
11 SP 2	<10	
" SP3	<10	
974	<10	
·· SP 5	<10	
" SP6	<10	·
" SP 7	<10	
··· SP &	710	
Sp 9	C10	
~ 5P10	<(0	

Note: Attach additional tables as needed based on number of soil sample or variations in sampling dates.

Attach the original chain of custody record		original laboratory
data sheet (copies are not acceptable) for ea	ach sample.	

d. Attach the "Total Potential VOC Emissions Calculations" for soil removed.

e. Indicate current method and location of soil management and/or treatment prior	to final disposal	:
NOT REQUIRED		
f. Check the method of soil disposal used or to be used:		
Return to the excavation pit only when TPH is less than or equal to 100 ppm greater than 5 feet from the base of the pit.	and depth of gro	oundwater is
Spread in a thin layer (6" or less) on site only when TPH is less than or equal	to 100 ppm	
Disposal in a landfill (See attached "Guidelines for the Disposal of Non-Haz Contaminated Wastes").	zardous Petroleu	m ·
Incineration.		
Thermal volatilization.		
Recycling facility		
Other		
g. If soil was disposed of prior to the submittal of this form, indicate the final dest attach copies of invoices, receipts, and "certificate of burn" (if soil was incinerated):		nd
9. TANK CLEANING		
 a. The tank(s) were cleaned in accordance with American Petroleum Institute (API) Bulletin 2015 "Cleaning Petroleum Storage Tanks"? If no, describe how tank(s) were cleaned: 	YES 🖾	ои П
b. Provide an estimate of the volume of sludge removed from the tank: $\mathcal{R}_{\mathcal{E}}$	PT ATTACHE	Gallons
c. Indicate the final destination of the sludge and attach invoices or receipts:		
RECEIPT ATTACHED FOR BOTH SLUDGE / TANK DISPOSAL		

10. ATTACHMENTS

Attach the following to the closure form in the following order as applicable to the type of closure site assessment performed. Check each box to indicate that a particular map or information is attached to the closure site assessment form. The section of the closure site assessment form that indicates the required attachment is shown.

1	Topographic Map showing location of site (Section 2.a., 3.a., 4.a., & 5.a.)						
7	Area ma	Area map showing general location of the site. Include land use on-site and within 500' of					
	site. (Sec						
		Include locations of domestic and public water supply wells, and surface water					
	NA intakes (Section 1)						
1	Plan and	sectional views of the site including the following: (Section 2.b., 3.b., 4.b., & 5.b.)					
		Location of the closed tanks and piping including depth. Include any remaining					
		tanks or piping at site. Include tank identification numbers.					
	V	Excavation dimensions of the tank system					
		Locations of soil samples taken for piping and tank which includes the analytical					
		results.					
		Location of areas of visible contamination					
		Location of any stockpiled excavated soil					
		Location of soil borings for an in-place closure					
		tion and depth of the one up-gradient and 3 down-gradient borings or monitoring ection 6.a.)					
		strating the most probable direction of groundwater flow (Section 6.a.)					
DNA		ic diagrams of the monitoring wells installed (Section 6.b.)					
AU		ogs of soil borings (Section 3.b., 5.b. &6.b.)					
DNA		sification Checklist					
V	Invoices	and/or receipts for sludge disposal (Section 9.c.)					
D NA		manifests and certificates of burn or disposal for soil disposal (Section 8.f.)					
V	Attach the original chain of custody record (copies are not acceptable) for each sample which						
	includes	at least the following: (Sections 6.d., 7.b., & 8.c.)					
	V	Sample identification number,					
	Ø	Date and time sample was taken,					
		Name and title of person collecting sample (see certification requirement on page					
		15 of this form)					
		Type of sample (soil or water),					
		Type of sample container,					
	7	Method of preservation,					
		Date and time sample was relinquished,					
	<u> </u>	Person relinquishing sample,					
		Date and time sample was received by lab,					
	0	Person receiving sample at lab.					
M	Attach the	e original laboratory data sheet (copies are not acceptable) which includes at least					
<u> </u>	the following: (Sections 6.d., 7.b., & 8.c.)						
	A sample identification number which can be cross referenced with the soil sar						
• }		locations indicated on the plan and sectional views required by Section 2.b., 3.b.,					
		4.b., or 5.b. above					
	7	The sample analytical results with appropriate units,					
	V	The method used to analyze each sample,					
	V	The date and time the sample was analyzed,					
		The person analyzing the sample					

11. SIGNATURES

This form should be completed, signed, and returned, along with any other pertinent information, to the following address:

The Alabama Department of Environmental Management Groundwater Branch Post Office Box 301463 Montgomery, AL 36130-1463 (334) 270-5655

INCOMPLETE FORMS WILL BE RETURNED FOR	CORRECTION.
Name of person taking soil and/or groundwater samples:	GRECO A KARSTRUS
Company:	KARST ENVIRONMENTAL
Telephone Numbers	GOS) 979-4320
I certify under penalty of law that I have obtained represent accepted sampling procedures. Signature:	ntative soil and/or groundwater samples using Date: 9 13 00
Either an Alabama Licensed Professional Geologist or a must sign this form: I certify under penalty of law that I have performed this clo accepted soil and groundwater investigation practices; I an Geologist or an Alabama Registered Professional Engineer investigations; and the information I have submitted, to the accurate, and complete.	sure site assessment in accordance with n either an Alabama Licensed Professional r; I am experienced in soil and groundwater
Signature of Alabama Licensed Professional Geologist:	Karsty 9/13/00
Signature of Alabama Registered Professional Engineer:	Par
Licensed P.G. or Registered P.E. Number: Nott 875	LIC OUTS ES LIC OU
I certify under penalty of law that I have personally examina submitted in this and all attached documents and that based for obtaining the information, I believe that the submitted in	ed and am familiar with the information I on those individuals immediately responsible
Signature of Tank Owner:	Date:

FOR ADEM USE ON	NLY:
Reviewed By:	Date:
COMMENTS:	
FORM 1133 9/15/97	320 OUR TENDATOR
Attachments: UST Closure Guidelines UST EXCAVATION	DIAGRAM (NOT TO SCALE):
DIMENSION:	Market 1
30 FT BORRACES 30 FT BREAKES	CAGREGAL TO CONTRACTOR
14 FT BARRACKS	Children Parking Parking Loring
UST EXCAUATION : 12,600 FT 5	Coepsilo
VOWNE OF USTS: - 6.880 FT 3	
UOLUME OF SOIC EXCAUATED = 5,720 FT3 COCO	E CON CONSTE D
	Garcona's A Daze
	/ B 43s

LABORATORY DATA SHEET

KARST ENVIRONMENTAL

Laboratory

628 Valley Street

Invoice Number:

K00-08-30

Birmingham, Alabama 35226

CLIENT: ALLEN EXCAVATING COMPANY

Report Date:

9/13/00

P O Drawer 456

Talladega, Alabama 35160

PROJECT NAME:

US ARMY-BUILDING 2278

Boiler House No#2 Ft. McClellan, Alabama

Sample location:

UST & Piping Closure

Date collected:

8/29-30/00

Sampler:

Greg A. Karstens, P.G.

Date analyzed:

8/30/00

TOTAL PETROLEUM HYDROCARBONS, (TPH)

LAB ID NO#	FIELD ID NO#	TPH mg/kg
11793	2278-W1	<10 ·
11794	2278-W2	<10
11795	2278-W3	<10
11796	2278-W4	<10
11797	2278-W5	<10
11798	2278-W6	<10
11799	2278-W7	<10
11800	2278-W8	<10
11801	2278-B1	<10
11802	2278-B2	<10
11803	2278-PI1	<10
11804	2278-PI2	<10
11805	2278-PI3	<10
11806	2278-PI4	<10

LAB ANALYST: Greg Karstens TEST METHOD: TPH, 5520 IR

Respectfully submitted

Greg A . Karstens, geologist

Karst Environmental



LABORATORY DATA SHEET

KARST ENVIRONMENTAL

Laboratory

628 Valley Street

Invoice Number:

K00-08-30

Birmingham, Alabama 35226

CLIENT: ALLEN EXCAVATING COMPANY

Report Date:

9/13/00

P O Drawer 456

Talladega, Alabama 35160

PROJECT NAME:

U S ARMY-BUILDING 2278

Boiler House No#2 Ft. McClellan, Alabama

Sample location:

UST & Piping Closure

Date collected:

8/29-30/00

Sampler:

Greg A. Karstens, P.G.

Date analyzed:

8/30/00

TOTAL PETROLEUM HYDROCARBONS, (TPH)

LAB ID NO#	FIELD ID NO#	TPH mg/kg
11807	2278-SP1	<10
11808	2278-SP2	<10
11809	2278-SP3	<10
11810	2278-SP4	<10
11811	2278-SP5	<10
11812	2278-SP6	<10
11813	2278-SP7	<10
11814	2278-SP8	<10
11815	2278-SP9	<10
11816	2278-SP10	<10

LAB ANALYST: Greg Karstens TEST METHOD: TPH, 5520 IR

Respectfully submitted

Greg A . Karstens, geologist

Karst Environmental





LAB INVOICE #

CHAIN OF CUSTODY Environmental Testing Laboratory


CLIENT	: Au	(N) E)	AUA?	776	AMA	مارد	Dal	le Reco	eived:				Da	ie Result	s Needed	:		
(" "	-	Dear	_			\overline{c}	~		oice to:						P.O.J:			
1.4	_			Alban	AA		Sį	peci	al Ins	truc	ni	ons:						
				3511				117	Phone	Resu	ilts	to:			_ at _			
Contact: K	WAU	EN. JR	Phone:	2 <i>9</i> 62	-4	261	E	•••	FAX F	læul	ts t	to:			_at			
	15 J. 15	SA!	MPLE II	ENTIFIC	ATIC	N		70a	7.20% c			· Marine		PAI	LAMET	ERS	A	وبدا لكار
ROJECT NAME: US DOMY BLOC 2278					80	اردد	B 2	>								•		
		4°CLEL														·		102
ROJECT #:					P.(). #:											IOE	PRESERVATIVE
IMPLER:	KARS	TENS	P.G	·					29.30								ON I	PRES
					$-T^{-}$		T	Т-		Ι.		IF S		 			YES	0
		8-WI			42	PL	_	ũ –	1430	T - 7	-	J		 			1	7
		<u> </u>	UST	PIT	+-	 	17	29		4-1	\dashv	,		 		 	/	-
		<u> </u>			+-		_	30	1000	+-	\forall	<u> </u>			 		(1
	٠,	64		-}	4-		18	30		╁┈	Н	1))
	ч	<u>u5</u>		} -	+	}—	-	}_	1008	+	H	1	 -					(
	•	WL_				}	-	}_	1012	╁	H		 -				(-)
Contract		<u>. ພາ</u>				-	-	┼	1016	╆	Н) 	(
	٩	<u> </u>		3	+-	<u> </u>	_	1	1000	-	Н						(-
- X - X - X - X - X - X - X - X - X - X	9518	- 31	BADE	OF PIT	19	216	<u> </u>	-	1045	 	-							-
	11	B2		<u>.</u>	1	1	_		1050		Н				 -		1	1
	2278.	PII	PIPI	NC-	<u> 20</u>	ال			1200	H	-				-		 	1
	ις	P12				<u> </u>	Ш		1210	ļ.,	4	V		<u> </u>			-	/.
	(t	PIB							1500		4	√					/	-
	C(PIY))	\leq		\mathcal{A}	<u> </u>	1230		1	1					-	
	2278	- 281	Spo	ils	Gr	NEL	8	29	1310	$\sqcup 4$	1	0):	-(-
	۱۳	SP 2	1				8	29	1311		\perp	1					{	_}_
# 4	CI	SP 3					18	ध	1312		\mathbb{I}	0						4
	Ģ	SP4		\mathcal{L}	0	7	81	29	(212	5	1	V					45	
uments:																		
NQUISHE	DBY					DΑ	TE/	TIM	E	REC	E	IVED	BY				<u></u>	
TURE:	Shear	(IKc	rster	~>	Date:	8	12	Jos	00	SIGN	ит	URE:	Khe.	Q	Ka	rster	-	
K E:	GREG	AK	LR STE	5	Time	24hr)	3	113			_	IAME:		(GCO 1.	<u> </u>	<u> 1257</u>	ڪرين	
<i>VQUISHE.</i>					<u> </u>	DA	TE/	TIM	Ε	REC	E	IVED	BY					
URE:					Date:					SIGN	ΑT	URE:						
JAME.					Time	74h-1				PRIN	TN	AME:						





CHAIN OF CUSTODY

		<u> </u>		
LAB	INVOICE	#	.8522 3 .	Talka, J.

Environmental Testing Laboratory Date Results Needed: CTIENT: HUEW EXCOUNTING COMPANY Dale Received: Send Invoice to: P.O.#: Special Instructions: Phone Results to:_ FAX Results to: Contact: Ken Augn JR Phone: 256) 362 - 4261 SAMPLE IDENTIFICATION PARAMETERS BOILLE H 2 PROJECT NAME: US DOMY -- BLDG 2278 'ROJECT LOC: FT. McCLELLON P.O. #: K00-08-30 'ROJECT #: IOR SAMPLE DATE: 8/29-30/00 AMPLER: KARSTONS, P.G. LABID: FIELD LD: MATRIX DATE TIME FEIT TOH GRAVEL 3278-BS 1305 5. POLLS 1301 1367 1308 40X 1309 Spro 1310 mments: RECEIVED BY DATE/TIME '.INQUISHED|BY Date: SIGNATURE: ATTRE: Time(24hr) 8 1130 PRINT NAME: T NAME: DATE/TIME RECEIVED BY INQUISHED BY SIGNATURE: ATURE: PRINT NAME: Time(24hr) I NAME:







FROM: I 20 TRUCKSTOP

FAX NO. : 205 763 2880

R & H WASTE OIL, INC. P.O. BOX 281

SYLACAUGA, ALABAMA 35150-0281

(256) 245-3205

сивтомен:	S CROER NO.	PHONE	, ·	CATE	20
NAME A	llen Exca	cation.	Inc		
ADDRESS JOJ	Site An	nistor Pa	My Y	Depost	
P.F.	niston, A	10.	•		222
50LD: 89	COD	CHARGE ON A	MOSE RE	D. PAID OUT	
aty.	DESCR	IPTION .	PRICE	AMOUN	π /
	Total Tank	5 PLIMBE	d		
. •	(6)		W.		
		•	0		· .
جعر	Boiler Plant	ta. Tanks	Funs	e4=2	
	worte wat				
	Fuel Oil L				
\$	Boiler Pha	ト 12:3 -Tan	ks Pu	mped=a	
	Fuel oil	300 90	1]
				<u> </u>	
· P	Boiler Plan			impect = 1	4
	hoste ha	<u> </u>	sel.		
		.			
	गिलंदा ७वा प				1 /
100/	total Gal	Firel Oil	<u> </u>	. १८ स.स्टब्स्	<u> </u>
· [<u> </u>	¹³ 3,500	4
	Not Thinks	Days	TAX		1,53
CEIVED B	Υ		TOTAL	33,500.	رين

All claims and returned goods MUST Thank You be accompanied by this bill.

3351

CERTIFICATE OF PROPER DISPOSAL

SOUTHERN TANK SALVAGE

		4-80	IBSIDIARY OF				
		ионтдом	STORMS Hoad CHY, ALADAMA 361				
		7	NNESSEE (05) 272-5524	A	Date	9-12-2000	19
quipment D	escription PETROLEUM STOR	OF TANKS	45	C No. 4	11	2-15,000 2-25,	000 FIBERGLAS
ransterred to	RAYCO INC	Transferred from	ALLENOILO	G (FT MQCL	* 11	ISTON,AL)	
low Shipped	· RAYCO'S TRUCK	كىركىم كانتي	i. }	Freight C	arpes	\$3400.00	
emarks	RAYCO INC HERBY CERTIF	ES THAT THE T	ANKS HAYE BEE	<i>(</i>	7 7 11	OF IN ACCORD	ANCE
	WITH API 1604 AND ADEMS	QUIDELINES. TI	HE TANK'S COM	TINED NO SI	LUDGE - TH	HE TANKS HAVE	BEEN
	CUT UP INTO SMALL PIECE	MO DELIVERE	D LIDOMONIGOME	RY CAY (LAI	NDFIIA.		
	THE FOREGOING IS TRUE	1.11	elia		The .		
	RAY THIBEAULT PRESIDENT		S R	au C	My	with	
		NCA.	T				
eceived by	DON MIMS DOM		rigustaged by		KE	N ALLEN	
ite	9-12-2000		Date		9-12-2000		